



SPARTAN FORCE™

spartanchassis.com/spartanforce



Everything's Riding On It.®

PRE-ENGINEERED • PRE-CONFIGURED • PURPOSE BUILT

When you need an emergency response cab and chassis with a balanced combination of value, strength and spaciousness, look no further than the Spartan Force. Contact the Spartan Chassis sales team and be on your way to the perfect purpose-built cab and chassis for your department and community.

- **SPACIOUS CAB DESIGN**
- **WIDE CAB STEPS & DOORWAYS**
- **QUIET CAB**
- **SEAT BELT WARNING SYSTEM**
- **VEHICLE DATA RECORDER**
- **ELECTRONIC FLUID LEVEL INDICATORS**



SPARTAN FORCE™

PERFORMANCE OPTIONS

- Apparatus Type Rescue
- Apparatus Type Pumper
- GAWR Front 18000#
- GAWR Front 20000#
- GAWR Rear 24000#
- GAWR Rear 27000#
- Water Tank Capacity Up to 750 Gallons
- Water Tank Capacity 750 to 1500 Gallons
- Water Tank Capacity 1500 Gallons & Above
- Cab Paint Exterior Single Color
- Cab Paint Exterior Two Tone
- Apparatus Wiring Provision (8) Circuit Panel
- Load Management System Class 1 Total System Manager
- Remote Throttle Control
- Remote Throttle Harness
- Engine Fan Drive Direct
- Engine Fan Drive Clutch
- Engine Pump Heat Exchanger (pumper model only)
- Engine Exhaust System Under Frame RH Inboard w/DPF/SCR Inline
- Engine Exhaust System Under Frame RH Fwd Outboard w/DPF/SCR Inline
- Midship Pump OEM Installed w/NO Jackshaft
- Midship Pump Jackshaft Only
- Midship Gearbox OEM Installed w/NO Jackshaft
- Fuel Tank 50 Gallon
- Front Axle Meritor MFS 18000# Beam
- Front Axle Meritor MFS 20000# Beam
- Rear Axle 24000# Meritor RS-24-160
- Rear Axle 27000# Meritor RS-25-160
- Front Tire 315/80R 22.5 Michelin XZA1
- Front Tire 365/70R 22.5 Michelin XZA
- Rear Tire 12R 22.5 Michelin XZE
- Rear Tire 12R 22.5 Michelin XDN2
- Front Wheel Accuride 22.5 x 9.00 Steel
- Front Wheel Alcoa 22.5 x 9.00 Aluminum
- Front Wheel Alcoa 22.5 x 10.5 Aluminum
- Rear Wheel Accuride 22.5 x 8.25 Steel
- Rear Wheel Alcoa Lvl One 22.5 x 8.25 Aluminum
- Tire Chains Rear Axle ON-Spot 6 Strand Auto
- Brake System ABS Single Axle
- Brake System ABS/ATC Single Axle
- Brake System ABS/ATC/ESC Single Axle
- Rear Brakes S-Cam Drum 16.5" x 7"
- Rear Brakes S-Cam Drum 16.5" x 7" Cast Iron Shoe
- Frame Single-Channel 34.25" Width
- Frame Double-Channel 35.00" Width
- Frame Paint Powder Coat Black
- Frame Paint Gloss Black
- Air Horn (1) 24" Round Hadley E-Tone
- Air Horn (2) 21" Round Hadley E-Tone
- Climate Control Heater Defroster Front Overhead
- Climate Control Heater Defroster Front Overhead/Heater A/C Tunnel Mount
- A/C Compressor Large Capacity
- Bostrom Seats w/SCBA Brackets Available
- Cab Circulation Fans Front (2) Inboard
- Battery Conditioner Kussmaul 1200
- Side Scene Lights Whelen 810 Series 12V QH Clear 32 Degrees
- Inboard Front Warning Lights Provision
- Inboard Front Warning Lights Whelen 600 Series Super LED
- Outboard Front Warning Lights Whelen 600 Super LED
- Cab Front Lightbar Whelen Freedom FN72QLED Layout 1
- Cab Front Lightbar Whelen Freedom FN72QLED Layout 2
- Warranty Cab and Chassis 2012 (1) Year
- Warranty Cab and Chassis 2012 (2) Year
- Warranty Cab and Chassis 2012 (3) Year
- Warranty Cab and Chassis 2012 (5) Year

Would you like us to write a specification for you or your department?

YES ___ NO ___

When do you expect to purchase your truck?

6 months ___ 1 year ___ 2 years ___

NAME: _____

DEPARTMENT NAME: _____

PHONE: _____


E-MAIL: _____

ADDRESS: _____

CITY: _____ STATE: _____

ZIP CODE: _____

SPARTAN FORCE™



ENGINE & TRANSMISSION SPECIFICATIONS

Cummins Diesel ISC 8.3L

Engine Horsepower: 380

Transmission: Allison GEN IV-E 3000 EVS

FEATURES & SPECIFICATIONS

94" Wide Aluminum Cab

Cab Style: Medium Four Door (MFD)

Cab Roof Style: 10" Raised Roof

Apparatus Type: Rescue and Pumper

Front-End Styling & Grille: Classic

Front GAWR: 18,000 or 20,000 lb.

Rear GAWR: 24,000 or 27,000 lb.

Axle Configuration: 4x2

Front Axle: Beam

Front Suspension: 4-Leaf or 9-Leaf

Front Axle Turning Angle Range: 50° or 48°L/44°R

Steering Column/Wheel: 18" Tilt/Telescopic (2-Spoke)

Rear Axle: Single

Rear Suspension: Spring

Brakes: Drum

Brake System: ABS / ATC / ESC

Wheelbase: 171", 174", 182", 190", 195", 200", or 210"

Bumper Extension, Front: 24"

Cab Tilt System

Keyless Start

Batteries: (3) Group 31 or (6) Group 31

Alternator: 270 Amp

WARRANTIES & SERVICE

Lifetime Frame & Cross Member (as defined by warranty document)

10 Year / 100,000 Mile Cab Structural

1 Year / 24,000 Mile Cab & Chassis General Limited

* 2 Year / 36,000 Mile Cab & Chassis General Limited

* 3 Year / 50,000 Mile Cab & Chassis General Limited

* 5 Year / 75,000 Mile Cab & Chassis General Limited

5 Year / 100,000 Mile / 3,000 Hours Cummins Engine

5 Year Allison EVS Transmission

10 Year / 100,000 Mile Cab Paint (PPG)

24/7 Technical Support

Spartan Factory Service Center

Authorized Nationwide Service Network

SPARTAN PRODUCT HIGHLIGHTS

Spacious Cab Design

The Spartan Force's 94" wide, flat floor cab design, seating configurations and raised roof allow 6 crew members the maximum usable interior space for ease of movement, extended leg and headroom, improved visibility and ample space for storage.

Wide Cab Steps & Doorways

Spartan offers the industry's tallest and widest cab doors, providing safe entry and egress for personnel in full firefighting gear. In addition, we incorporate a progressive two-step configuration at each door opening—providing the widest steps and the lowest step heights in the industry—which also allows personnel in full firefighting gear to enter and exit the cab easily and safely.

Quiet Cabs

Spartan's cabs are engineered and constructed for optimum noise reduction. Through the use of high-quality insulation and dampening products, a noise barrier is created by the cab ceiling and walls, as well as interior and exterior seams. As an added benefit, the integration of these products also assists in heating and cooling retention.

Seat Belt Warning System

The seat belt warning system, integrated with the Vehicle Data Recorder system, provides occupancy confirmation for each seat within the cab. The system provides a visual indicator on the instrument panel, as well as an audible alarm, when any seat is occupied (60 pound minimum), and the corresponding seat belt is unfastened or was fastened incorrectly, and the parking brake is released. Once activated, the visual indicators and audible alarm remain active until the seat belts in all occupied seats have been fastened properly.

Vehicle Data Recorder

The Vehicle Data Recorder (VDR) is a safety system to monitor driving and riding procedures to and from the scene. The VDR records the following at specified intervals: vehicle speed, acceleration and deceleration (from speedometer), engine speed, engine throttle position, ABS event, seat occupied status, seat belt status, master optical warning device switch position, time and date.

Electronic Fluid Level Indicators

Electronic fluid checks allow for the levels of critical fluids to be monitored through the truck's instrumentation package. Levels monitored include: engine oil, power steering fluid, transmission oil, windshield washer fluid and engine coolant.

() Available Options*

Technical specifications and descriptions are subject to change without notice. Content is limited and does not cover all available features. For additional information please contact a Spartan Regional Sales Manager.